Carbohydrate Research, 254 (1994) C7–C9
Elsevier Science B.V., Amsterdam

CONTENTS

Separation and characterization of five positional isomers of trimaltosyl-cyclomaltoheptaose (trimaltosyl-β-cyclodextrin)
Y. Okada, K. Koizumi (Nishinomiya, Japan) and S. Kitahata (Osaka, Japan) 1

Electron impact mass spectra of permethylated disaccharide alditols
B. Lindberg (Stockholm, Sweden), F. Lindh, J. Lundsten and S. Svensson (Lund, Sweden). 15

An efficient conversion of D-mannitol into D-fructose and 1,5-dideoxy-1,5-imino-D-mannitol (1-deoxymannojirimycin)
W. Zou and W.A. Szarek (Kingston, ON, Canada) 25

Synthesis of, and NMR and CD studies on, methyl 4-*O*-[(*R*)- and (*S*)-1-carboxyethyl]-α-L-rhamnopyranoside and methyl 6-*O*-[(*R*)- and (*S*)-1-carboxyethyl]-α-D-galactopyranoside
M. Andersson (Stockholm, Sweden), L. Kenne (Uppsala, Sweden), R. Stenutz and G. Widmalm (Stockholm, Sweden) 35

Synthesis of linear oligosaccharides: L-*glycero*-α-D-*manno*-heptopyranosyl derivatives of allyl α-glycosides of D-glucose, kojibiose, and 3-*O*-α-kojibiosyl-D-glucose, substrates for synthetic antigens
S.A. Nepogod'ev, L.V. Backinowsky (Moscow, Russian Federation), B. Grzeszczyk and A. Zamojski (Warsaw, Poland) 43

Syntheses of all the possible monomethyl ethers and several deoxyhalo analogues of methyl β-lactoside as ligands for the *Ricinus communis* lectins
P. Fernández, J. Jiménez-Barbero and M. Martín-Lomas (Madrid, Spain) 61

Synthesis of a hexasaccharide corresponding to part of the heptose–hexose region of the *Salmonella* Ra core, and a penta- and a tetra-saccharide that compose parts of this structure
S. Oscarson and H. Ritzén (Stockholm, Sweden) 81

Preparation of *C*-(2-deoxyhex/pent-1-enopyranosyl)heterocycles
S.H. Mahmoud, L. Somsák and I. Farkas (Debrecen, Hungary) 91

Synthesis of pentasaccharide core structures corresponding to the genus-specific lipopolysaccharide epitope of *Chlamydia*
P. Kosma, M. Strobl, G. Allmaier, E. Schmid (Wien, Austria) and H. Brade (Borstel, Germany) 105

Stereospecific carbon–carbon bond formation at secondary carbons in cyclic sugars
L.A. Reed III, J.T. Huang, M. McGregor and L. Goodman (Kingston, RI, USA) 133

Synthesis of 3-deoxy-2-octulosonic acid derivatives and characterisation of their 3-deoxyoctitols
T. Krülle, R.R. Schmidt (Konstanz, FRG), H. Brade and O. Holst (Borstel, FRG) 141

Determination of the concentrations of oligosaccharides, complex type carbohydrates, and glycoproteins using the phenol–sulfuric acid method
S.K. Saha and C.F. Brewer (Bronx, NY, USA). 157

Stereoselective synthesis of 2-alkynyl and 2-alkenyl-1-ethoxy glucosides — new types of acetal-glycosides for use in the treatment of cancer
L.F. Tietze and A. Fischer-Beller (Göttingen, FRG) 169

Regioselective synthesis of new sucrose derivatives via 3-ketosucrose
M. Pietsch, M. Walter and K. Buchholz (Braunschweig, Germany) 183

Anhydro sugars and oligosaccharides from the thermolysis of sucrose
M. Manley-Harris and G.N. Richards (Missoula, MT, USA) 195

Structure of the O-specific polysaccharide of the O22-antigen (LPS) from *Escherichia coli* O22:K13
M. Bartelt (Freiburg, Germany), A.S. Shashkov (Moscow, Russian Federation), H. Kochanowski, B. Jann and K. Jann (Freiburg, Germany) 203

Preparation and properties of metabolically ^{3}H- or ^{13}C-labeled (1 → 3)-β-D-glucan, SSG, from *Sclerotinia sclerotiorum* IFO 9395
M. Suda, N. Ohno, Y. Adachi and T. Yadomae (Tokyo, Japan) 213

Structure of the O-specific side chain of the lipopolysaccharide from *Escherichia coli* O126
T. Bhattacharyya and S. Basu (Calcutta, India) 221

A critical assessment of a one-tube procedure for the linkage analysis of polysaccharides as partially methylated alditol acetates
P.W. Needs and R.R. Selvendran (Norwich, United Kingdom) 229

Structures of small oligomers liberated from barley arabinoxylans by endoxylanase from *Aspergillus awamori*
R.J. Viëtor (Wageningen, Netherlands), R.A. Hoffmann (Utrecht, Netherlands), S.A.G.F. Angelino (Zeist, Netherlands), A.G.J. Voragen (Wageningen, Netherlands), J.P. Kamerling and J.F.G. Vliegenthart (Utrecht, Netherlands) 245

Binding of D-galactose-terminated ligands to rabbit asialoglycoprotein receptor
A. Krebs, W.T. Depew, W.A. Szarek, G.W. Hay and L.J.J. Hronowski (Kingston, ON, Canada) 257

The sugar-combining area of the galactose-specific toxic lectin of mistletoe extends beyond the terminal sugar residue: comparison with a homologous toxic lectin, ricin
R.T. Lee (Baltimore, MD, USA), H.-J. Gabius (Marburg, Germany) and Y.C. Lee (Baltimore, MD, USA) 269

New approach to the complexation of iron(III) with fructose
M. Tonković (Zagreb, Croatia) 277

Crystal structure and taste of 3,3′-dideoxy-α,α-*arabino*-trehalose monohydrate
C.-K. Lee and L.L.I. Koh (Kent Ridge, Singapore) 281

Reporter resonances in the NMR spectra of oligosaccharides containing sialic acid linked to galactopyranose rings
D. Machytka, R.A. Klein and H. Egge (Bonn, Germany) 289

Sugar (lepidin-2-yl)hydrazones and synthesis of 1-(alditol-1-yl)-5-methyl[1,2,4]triazolo[4,3-*a*]quinoline
N. Rashed (Alexandria, Egypt), E.-S.I. Ibrahim (Ismalia, Egypt) and E.S.H. El Ashry (Alexandria, Egypt) 295

Synthesis of some partially substituted methyl α-D- and phenyl 1-thio-α-D-mannopyranosides for the preparation of manno-oligosaccharides
Z. Szurmai, L. Balatoni and A. Lipták (Debrecen, Hungary). 301

Synthesis and characterisation of hexacarbonyldicobalt complexes derived from 2-propynyl and 3-butynyl 4,6-di-*O*-acetyl- 2,3-dideoxy-α-D-*erythro*-hex-2-enopyranosides
W.E. Lindsell, P.N. Preston and A.B. Rettie (Edinburgh, United Kingdom) 311

A synthesis in one reaction vessel of 2,4-diamino sugar precursors from 2,3-dideoxy-2-en-opyranos-4-uloses
E.A. Couladouros, V. Constantinou-Kokotou, M.P. Georgiadis and G. Kokotos (Athens, Greece) 317

Preparation of ether-linked disaccharides having D-xylose coupled to other monosaccharides
P. Martin, B. Harmouch, D. Postel, G. Ronco, L. Spychala and P. Villa (Amiens, France). 325

Bacteriophage degradation of *Klebsiella* K30 capsular polysaccharide. An NMR investigation of the 3,4-pyruvated galactose-containing repeating oligosaccharide
N. Ravenscroft, L.A.S. Parolis and H. Parolis (Grahamstown, South Africa). 333

Author index C1

Subject index C3